

2018 SAILS





**EVOLVING
WINDSURFING**
SINCE 1985

HOTSAILSMAUUI.COM / 808 893 0001




KS3 SPIDER

III BATTENS



C1



C2




C3



C4



C5



C6






KS3

III BATTENS

QU4D

4 BATTENS



SLAM LAM.






C1

C2

SLAM LAM.

C1

C2



C3

C4

C5

C3

C4

C5




FIRELIGHT

5 BATTENS



C1




C2



C3




C4




C5

FREESTYLE PRO


4 BATTENS




C1



C2



C3




C4




GPX

6 BATTENS - NO CAMS



C1



C2

GP1


6 BATTENS - ONE CAM



C1

+LIFT

6 BATTENS - FOILING



C1



SUPERFREAK

5 BATTENS



C1402



C1403



C1404




C1405

SUPERFREAK ME


5 BATTENS




C1406



C1407



C1408



C1409



MICROFREAK


4 BATTENS



C1402



C1403



C1404




C1405

SPEEDFREAK


6 BATTENS - NO CAMS



C74



C75



C76



SUPERFREE

3 BATTENS



C1



C2

NEWSCOOL4

4 BATTENS



C5

NEWSCOOL2

2 BATTENS




C3



Micro KS3 SLIDER

3 BATTENS



C1



C2



C3



C4



C5



C6

Micro KS3

3 BATTENS



SLAMLAM.

C4



SLAMLAM.

C5




SLAMLAM.

C4



SLAMLAM.

C5



SLAMLAM.

C5



Size	Boom	Luff	Mast	Battens	Weight (Kg)	Weight (Lbs)
KS3 / KSSpider Perfect Wave					KS3 Spider	KS3 Spider
2.4 Micro	120	279	270	3	2.1 2.0	4.6 4.5
2.7 Micro	127	295	270	3	2.2 2.1	4.8 4.6
3.0 Micro	138	302	270	3	2.3 2.2	5.1 4.8
3.1	135	318	340	3	2.4 2.3	5.3 5.1
3.4	142	346	340	3	2.6 2.5	5.7 5.6
3.7	148	347	340	3	2.7 2.6	5.9 5.7
4.0	154	364	340	3	2.8 2.7	6.1 5.9
4.3	158	381	370	3	2.9 2.8	6.4 6.1
4.6	164	388	370	3	3.0 2.9	6.6 6.4
4.9	164	406	400	3	3.05 2.95	6.7 6.5
5.2	170	415	400	3	3.1 3.0	6.9 6.6
5.5	176	427	400	3	3.3 3.1	7.3 6.9
5.8	180	436	400	3	3.4 3.2	7.3 7.1
6.1	185	452	430	3	3.45 3.3	7.6 7.3
6.4	190	459	430	3	3.5 3.4	7.7 7.5
6.7	193	464	430	3	3.6 3.5	7.9 7.7

Quad All Wave

3.5	138	349	340	4	2.5	5.5
3.9	144	365	340	4	2.6	5.7
4.3	153	377	370	4	3.0	6.6
4.5	157	383	370	4	3.05	6.7
4.7	162	388	370	4	3.1	6.9
5.0	169	397	370	4	3.15	6.95
5.2	173	405	370	4	3.2	7.0
5.6	179	420	400	4	3.3	7.3

Firelight Free Wave

3.4	142	339	340	5	2.7	5.9
3.7	144	356	340	5	2.8	6.1
4.0	151	370	340	5	2.9	6.4
4.3	155	378	370	5	3.0	6.6
4.5	160	388	370	5	3.1	6.9
4.7	166	398	370	5	3.2	7.1
5.0	170	409	400	5	3.3	7.3
5.3	174	414	400	5	3.4	7.5
5.5	176	418	400	5	3.5	7.7
5.7	180	417	400	5	3.7	8.1
6.0	186	429	400	5	3.8	8.4
6.5	194	444	430	5	4.0	8.9

Frestyle PRO

3.6	143	369	340	5	2.4	5.4
4.0	153	380	370	5	2.5	5.5
4.4	160	392	400	5	2.7	5.9
4.8	169	406	400	5	2.9	6.4
5.2	177	420	400	5	3.0	6.6
5.6	180	435	430	5	3.2	7.1

Micro Freak

0.8	91	150	MMx2	4	2.0	0.9
1.2	94	191	MMx3	4	2.3	1.0
1.6	105	209	MMx3	4	2.7	1.2
2.1	122	259	MMx4	4	3.5	1.6
2.6	131	290	MMx24	4	3.8	1.7
2.8	130	310	310	4	4.2	1.9
3.2	136	310	310	4	4.4	2.0
3.7	154	340	310	4	5.4	2.4

Size	Boom	Luff	Mast	Battens	Weight (Kg)	Weight (Lbs)
SuperFreak The Original					Reg UL	Reg UL
2.9	137	337	340	5	2.8 2.75	6.1 6.0
3.2	137	350	340	5	2.85 2.8	6.2 6.1
3.5	145	362	340	5	2.9 2.85	6.4 6.2
3.7	146	370	340	5	2.95 2.9	6.5 6.4
4.0	152	384	370	5	3.0 2.9	6.6 6.4
4.2	153	390	370	5	3.25 3.1	7.2 6.9
4.5	156	406	400	5	3.3 3.2	7.3 7.1
4.7	161	412	400	5	3.4 3.25	7.3 7.15
5.0	169	416	400	5	3.5 3.35	7.7 7.4
5.3	176	425	400	5	3.6 3.4	7.9 7.3
5.5	177	438	430	5	3.65 3.5	8.1 7.8
5.8	180	441	430	5	3.7 3.5	8.5 7.9
6.0	187	445	430	5	3.75 3.6	8.6 8.0
6.3	193	453	430	5	3.8 3.8	8.8 8.3
6.7	195	458	430	5	3.9 3.8	9.0 8.4
7.0	193	491	460	5	4.1 3.9	9.2 8.6
8.0	219	506	490	5	4.3 4.0	9.4 8.8

SuperFreak M.E. Hybrid Wave

3.7	149	374	340	5	3.0	6.6
4.2	152	395	370	5	3.1	6.9
4.7	160	402	370	5	3.3	7.2
75.3	175	424	400	5	3.5	7.
5.8	183	443	430	5	3.7	8.1

SpeedFreak

5.5	174	420	400	7	3.6	7.9
6.5	189	463	430	7	4.0	8.8
7.5	203	478	460	7	4.4	9.7
8.5	208	504	490	7	4.7	10.3
10.0	233	531	490	7	4.9	10.8

SuperFree Low Stress

					Mono PVC	Mono PVC
4.2	159	406	400	2	2.7 3.0	5.9 6.6
4.9	174	425	400	2	2.8 3.1	6.1 6.9
5.4	185	442	430	2	3.1 3.3	6.9 7.3
5.9	195	454	430	2	3.3 3.5	7.3 7.7

GPX

5.5	175	415	400	6	3.9	8.6
6.0	182	429	400	6	4.0	8.8
6.5	187	440	430	6	4.2	9.2
7.0	194	455	430	6	4.4	9.7
7.5	199	469	460	6	4.5	9.9
8.0	208	487	460	6	4.7	10.4
8.5	214	498	490	6	4.95	10.9

GP1

6.0	184	430	400	6	4.2	9.2
6.5	187	440	430	6	4.4	9.7
7.0	196	456	430	6	4.6	10.0
7.5	199	469	460	6	4.7	10.4
8.0	208	487	460	6	4.9	10.8
8.5	214	498	490	6	5.0	11.0

SummerSail

5.5	232	419	400	2	n/a	n/a
6.5	240	465	460	2	n/a	n/a
7.5	255	500	490	2	n/a	n/a